

AENOR

Certificate of constancy of performance

CE


0099

0099/CPR/B85/0316

In compliance with Construction Products Regulation 305/2011/EU of the European Parliament and of the Council, of 9 March 2011, the notified body AENOR (n. 0099) has issued this certificate to

SUMCAB SPECIALCABLE GROUP, S.L.

registered office	PI PLA DE LLERONA, CL GRAN BRETANYA, 29 08520 LES FRANQUESES DEL VALLÈS (Barcelona - España)
Certified performance	Reaction to Fire of communication cables for general applications in construction Works
Harmonized Standard	EN 50575:2014 EN 50575:2014/A1:2016
Designation	Z10Z1-K APLH (500 V)
Trade Mark	SUMSAVE AS - Data Controlfire (SSG 2037)
Generic Family	Metallic screen overall. Unscreened conductors
Class of reaction to fire	Cca,s1b, d1, a1
Communication Cables Range	2x1,5 mm ² ; 2x2,5 mm ²
Overall Diameter Range	From 6,8 mm to 7,8 mm
Production site	Code 4428
Certification scheme	This certificate attests that all provisions under system 1+ concerning the assessment and verification of performance of the declared reaction to fire and its constancy described in Annex ZZ of the harmonized standard are applied. This certificate will remain valid until its validity date, provided that the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.
First issued on	2018-03-12
Validity date	2021-03-12



Rafael GARCÍA MEIRO
Chief Executive Officer

Original Electronic Certificate

AENOR INTERNACIONAL S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com

Control body accredited by ENAC. Accreditation number: OC-P/137